

Safety Data Sheet

Report No.: CTT2412013942EN

Product Name: Super water absorbent polymer Chill-Its Evaporative

Cooling

Cat No.: 6700, 6705, 6700FR, 6710, 6715, 6716, 6710FR, 6717,

6717FR

CAS No.: 9003-04-7

EC No.: 618-349-8

Molecular Formula: (C3H3NaO2)n

Prepared by:

Camus Miao

Camus Miao



This test report is issued by the company subject to its General Conditions of Services and accessible at http://www.cttlab.com/order/202103190908290166.pdf. Without prior written pernission of the company, this report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept.

Guangdong Consumer Testing technology Co., Ltd.

No.7, Gongye Beisi Road, Songshanhu High-Tech Industrial Development Park, Dongguan, Guangdong, China. Tel: 86-0769-8898 9888 Fax: 86-0769-8898 8808 Hot Line: 400 6789 666

Safety Data Sheet

Super water absorbent polymer Chill-Its

Evaporative Cooling

Version: V2.0.0.1

Report No.: CTT2412013942EN Creation Date: 2024/12/20 Revision Date: 2024/12/20

*Prepared according to American OSHA HCS-2024 (29 CFR 1910.1200)

1 Identification

| Product identifier

Product Name	Super water absorbent polymer Chill-Its Evaporative Cooling
Cat No.	6700, 6705, 6700FR, 6710, 6715, 6716, 6710FR, 6717, 6717FR
CAS No.	9003-04-7
EC No.	618-349-8
Molecular Formula	(C3H3NaO2)n

Recommended use of the product and restrictions on use

Relevant identified uses	Cool feeling
Uses advised against	N/A

Details of the supplier of the Safety Data Sheet

Name of the company	Ergodyne
Address of the company	1021 Bandana Boulevard East, Suite 220, Saint Paul, MN, United States, 55108
Post code	
Telephone number	+1 800 535 5053, +1 352 323 3500
Fax number	
E-mail address	deborah.miller@ergodyne.com

| Emergency phone number

Emergency phone number | +1 800 222 1222

2 Hazard(s) identification

Hazard classification according to 29 CFR 1910.1200

According to OSHA HCS-2024, not classified as a hazardous chemical.

Label elements

Hazard pictograms	Not applicable
Signal word	Not applicable

Hazard statements

Hazaru Statements	
Hazard statements	Not applicable

| Precautionary statements

Prevention

Prevention | Not applicable

Response

Response Not applicable

Storage

Storage Not applicable

Disposal

Disposal Not applicable

Other hazards

Not applicable.

| Hazard description

Physical and chemical hazards

No information available

Health hazards

Inhaled	Cough.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Eye	Redness.

Environmental hazards

Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

Substance

Component	CAS No.	EC No.	Concentration (wt, %)
Super water absorbent	9003-04-7	618-349-8	92
Water	7732-18-5	231-791-2	8

4 First-aid measures

Description of first aid measures

l total from the contract of		
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.	
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.	
Skin contact	Remove contaminated clothes.	
Ingestion	Rinse mouth.	
Inhalation	Fresh air, rest.	
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.	

Most important symptoms/effects, acute and delayed

1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Indication of any immediate medical attention and special treatment needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.
- 5 Fire-fighting measures

| Extinguishing media

Suitable extinguishing media
Unsuitable extinguishing
media

Use extinguishing media suitable for surrounding area.

There is no restriction on the type of extinguisher which may be used.

Specific hazards arising from the substance or mixture

- 1 Development of hazardous combustion gases or vapor possible in the event of fire.
- 2 May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.
- 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- 1 Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment, do not breathe dust/fume.

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 Cut off the source of the leak as much as possible.
- 2 Keep leaks in a ventilated place.
- 3 Isolation of contaminated areas and restrictions on access.
- 4 It is recommended that emergency personnel wear dust masks.
- Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 7 Handling and storage

Precautions for safe handling

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.
4	Keep away from heat/sparks/open flames/ hot surfaces.

| Conditions for safe storage, including any incompatibilities

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Occupational Exposure limit	No relevant regulations
values	

Engineering controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

Personal protection equipment

General requirement	No special requirements, please see the description below.
Eye protection	In general situation, eye protection is not needed. In the production process, when contacting with vapour or dust, tightly fitting safety goggles.
Hand protection	In general situation, hand protection is not needed.
Respiratory protection	In general situation, respiratory protection is not needed. If exposure limits are exceeded or if irritation or other symptoms are experienced, wear dust proof mask or gas defence mask.
Skin and body protection	In general situation, skin and body protection are not needed.

9 Physical and chemical properties and safety characteristics

| Physical and chemical properties

Appearance (physical state, color, etc.)	Transparent powder
Odor	No information available
Odor threshold	No information available
рН	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling range(°C)	No information available
Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	No information available

Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	Not applicable
Vapor density(Air = 1)	Not applicable
Relative density(Water=1)	1.1~1.4
Solubility	Very soluble in water
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	Not applicable

10 Stability and reactivity

Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	The substance contains a certain amount of water, and may release hydrogen gas in contact with active metals.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Alkali, sodium, calcium, and other active metal, halogen, metal oxide, nonmetal oxide, acyl halide and metal phosphide.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products
products	should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)	
Super water absorbent	> 40000mg/kg(Rat)	No information available	No information available	

Carcinogenicity

Component	List of carcinogens by Report on Carcinogens the IARC Monographs by NTP		OSHA Carcinogen List	
Super water absorbent	Not Listed	Not Listed	Not Listed	
Water	Not Listed	Not Listed	Not Listed	

Others

	0
	Super water absorbent (Component)
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met

STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

12 Ecological information

Acute aquatic toxicity

Acute aquatic toxicity No information available

Chronic aquatic toxicity

Chronic aquatic toxicity No information available

Persistence and degradability

Persistence and degradability No information available

Bioaccumulative potential

Bioaccumulative potential | No information available

Mobility in soil

Mobility in soil No information available

Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006					
Super water absorbent	Insufficient information, temporarily unable to evaluate					
Water	Insufficient information, temporarily unable to evaluate					

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label | Not applicable

| IMDG-CODE

IMDG-CODE NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

IATA-DGR

IATA-DGR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

UN-ADR

UN-ADR NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Available

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Not Available

Transport in bulk in accordance with the IGC Code

Not Available

Others

Precautions for transport

Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

15 Regulatory information

International chemical inventory

Component	EC	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AIIC	ENCS
	inventory								
Super water absorbent	×	√	$\sqrt{}$	√	V	V	V	$\sqrt{}$	√
Water	√	√	V	√	V	√	V	V	√

[EC inventory] European Inventory of Existing Commercial Chemical Substances

[TSCA] United States Toxic Substances Control Act Inventory

[DSL] Canadian Domestic Substances List

[IECSC] China Inventory of Existing Chemical Substances

New Zealand Inventory of Chemicals [NZIoC]

[PICCS] Philippines Inventory of Chemicals and Chemical Substances

[KECI] Korea Existing Chemicals Inventory

Australian. Inventory of Industrial Chemical (AIIC) [AIIC]

[ENCS] Japan Inventory of Existing & New Chemical Substances

US chemical inventory

Component	Α	В	С	D	E	F	G	Н
Super water absorbent	×	×	×	×	×	×	×	×
Water	×	×	×	×	×	×	×	×

- [A] US Clean Air Act (CAA)- Section 112, Hazardous Air Pollutants
- [B] US SARA 302- Extremely Hazardous Substance List
- [C] US CERCLA- Hazardous Substances List
- [D]US Massachusetts Right-to-Know Substance List
- [E] US New Jersey Right to Know Hazardous Substance List
- [F] US Pennsylvania Right to Know Hazardous Substance List
- [G] US New York City Right-to-Know Hazardous Substance List
- US California Proposition 65 List [H]

Note:

- Indicates that the substance included in the regulations.
- No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2024/12/20
Revision Date	2024/12/20
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home.
- [2] IARC, website: http://www.iarc.fr/。
- [3] OECD: The Global Portal to Information on Chemical Substances, website: https://www.echemportal.org/echemportal/。
- [4] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple.
- [5] NLM: ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp.
- [6] EPA: Integrated Risk Information System, website: http://cfpub.epa.gov/iris/。
- [7] U.S. Department of Transportation: ERG, website: http://www.phmsa.dot.gov/hazmat/library/erg.
- [8] Germany GESTIS-database on hazard substance, website: http://gestis-en.itrust.de/。

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG-	International Maritime Dangerous Goods CODE
		CODE	
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
ECx	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
Pow	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor	HCS	Hazard Communication Standard

Disclaimer

This Safety Data Sheet (SDS) was prepared according to OSHA HCS-2024. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.