# intertek

### Safety Data Sheet (SDS) Report

SDS Number:220201825SHA02S1 2022-03-15

Issue Date:

Applicant: SHENZHEN VICTPOWER TECHNOLOGY CO., LTD 5F,B building,Xinmu sheng Industrial park ,Pinghu Longgang District, Shenzhen.

#### Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name	:	Rechargeable Li-ion Battery Pack
Physical State	:	Solid
Data Received	:	Mar 09, 2022
Initial Version Date	:	Mar 15, 2022
Data Reviewed	:	Mar 30, 2022

Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated in accordance with requirements of Hazardous Products Regulations, for details please refer to attached pages.

Authorized By: On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai

Annawa

Anna Wang **Technical Manager** 

This report shall not be reproduced except in full, without the written approval of the laboratory.

#### **Intertek Assuris**

5th Floor Building No.86, 1198 QinZhou Road (North), Cao He jing Development Zone, ShangHai China Zip:200233 Tel: +86 021 53397986 E-mail:hers@intertek.com





Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Issue Date:2022.03.15 Revision Date:2022.03.30 Version No:1.0 SDS Number: 220201825SHA02S1

### **SECTION 1: Identification**

#### 1.1. Product identifier

Product form Trade name Other Identification : Mixture : Rechargeable Li-ion Battery Pack

: VICTg2S2PNB320001

#### **1.2. Recommended use and restrictions on use**

Power supply to other products

#### 1.3. Supplier

SHENZHEN VICTPOWER TECHNOLOGY CO.,LTD 5F,B building,Xinmu sheng Industrial park ,Pinghu Longgang District,Shenzhen. 0086-755-89635916 engineer1@victpower.com

1.4. Emergency telephone number

No additional information available

### **SECTION 2: Hazard identification**

2.1. Classification of the substance or mixture

#### **Classification (GHS CA)**

Not applicable

2.2. GHS Label elements, including precautionary statements

#### **GHS CA labelling**

No labelling applicable

#### 2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

Not applicable

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Cobalt lithium manganese nickel oxide	Lithium cobalt manganese nickel oxide / Cobalt lithium manganese nickel oxide	CAS-No.: 182442-95-1	30 – 50
Graphite	C.I. Pigment Black 10 / C.I. 77265 / graphite	CAS-No.: 7782-42-5	10 – 30
1,3-Dioxolan-2-one	Ethylene carbonate / Carbonic acid, cyclic ethylene ester / Cyclic ethylene carbonate / Ethylene glycol carbonate / Glycol carbonate / ETHYLENE CARBONATE / 2-Oxo-1,3-dioxolan / 2-Dioxolanone	CAS-No.: 96-49-1	10 – 20
Copper Foil	C.I. 77400 / C.I. Pigment Metal 2 / Copper, elemental / CI 77400 / Copper metal / Copper, metallic / Pigment Metal 2 / Granulated copper / copper	CAS-No.: 7440-50-8	2 – 10
Aluminum	aluminium powder (stabilised) Aluminium / Aluminium metal / Aluminium, metal / Aluminum metal / Aluminum, elemental / Aluminum, metal / C.I. 77000 / CI 77000 / Aluminium powder (stabilised) / Aluminium powder (stabilized) / Aluminium powder / Pigment Metal 1 / Aluminum powder / Aluminium metal, powder / Aluminium powder (pyrophoric) / aluminum	CAS-No.: 7429-90-5	2 – 10
Phosphate(1-), hexafluoro-, lithium	Lithium hexafluorophosphate(1-) / Lithium phosphohexafluoride / Phosphate(1-), hexafluoro-, lithium (1:1) / Lithium hexafluorophosphate	CAS-No.: 21324-40-3	0 – 5
1,1-Difluoroethylene polymer	Ethene, 1,1-difluoro-, homopolymer / Homopolymer, ethene, 1,1-difluoro- / Polyvinylidene fluoride / Polyvinylidene fluoride resin / Poly(vinylidene fluoride) / Poly(1,1-difluoroethene) / POLYVINYLIDENE DIFLUORIDE / Vinylidene fluoride homopolymer / Polymer of 1,1-difluoroethene	CAS-No.: 24937-79-9	0 – 5
Styrene-butadiene copolymer	Benzene, ethenyl-, polymer with 1,3-butadiene / Butadiene-styrene copolymer / 1,3-Butadiene-styrene copolymer / Butadiene-styrene polymer / 1,3- Butadiene-styrene polymer / Butadiene-styrene resin / Butadiene-styrene rubber / Styrene-1,3-butadiene copolymer / STYRENE/BUTADIENE COPOLYMER / Styrene-butadiene polymer / Styrene-butadiene rubber / Styrene/butadiene copolymers / Polymer of styrene and 1,3-butadiene / 1,3 Butadiene/styrene copolymers / Styrene homopolymer and 1,3- butadiene homopolymer, block copolymer / Polymer of buta-1,3-diene/styrene / Polymer mainly composed of styrene/butadiene	CAS-No.: 9003-55-8	0 – 1

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>	
4.2. Most important symptoms and effects (a	acute and delayed)	
No additional information available		
4.3. Immediate medical attention and special	I treatment, if necessary	
Note to physician :	: Treat symptomatically.	
SECTION 5: Fire-fighting measures		
5.1. Suitable extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam.	
5.2. Unsuitable extinguishing media		
No additional information available		
5.3. Specific hazards arising from the hazardous product		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.4. Special protective equipment and precautions for fire-fighters		
Protective equipment for firefighters	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, prote	ective equipment and emergency procedures	
No additional information available		
6.2. Methods and materials for	containment and cleaning up	
Methods for cleaning up Other information	<ul> <li>Mechanically recover the product.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

# 7.2. Conditions for safe storage, including any incompatibilities

Storage	conditions
Suitable	container

Store in a well-ventilated place. Keep cool.PE bag, carton

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Graphite (7782-42-5)		
Canada (Quebec) - Occupational Exposure Limits		
VEMP (OEL TWA)	2 mg/m <sup>3</sup> (containing no Asbestos and <1% Crystalline silica, except Graphite fibres-respirable dust)	
Canada (British Columbia) - Occupational Exposure	e Limits	
Local name	Graphite - All forms except graphite fibres	
OEL TWA	2 mg/m <sup>3</sup> (all forms except Graphite fibres-respirable)	
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)	
Canada (Manitoba) - Occupational Exposure Limits		
Local name	Graphite (all forms excepte graphite fibers)	
OEL TWA	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable particulate matter)	
Notations and remarks	TLV® Basis: Pneumoconiosis	
Regulatory reference	ACGIH 2022	
Canada (New Brunswick) - Occupational Exposure	Limits	
OEL TWA	2 mg/m <sup>3</sup> (all forms except graphite fibres)	
Notations and remarks	Pneumoconiosis	
Canada (Newfoundland and Labrador) - Occupation	al Exposure Limits	
Local name	Graphite (all forms excepte graphite fibers)	
OEL TWA	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable particulate matter)	
Notations and remarks	TLV® Basis: Pneumoconiosis	
Regulatory reference	ACGIH 2022	
Canada (Nova Scotia) - Occupational Exposure Limits		
Local name	Graphite (all forms excepte graphite fibers)	
OEL TWA	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable particulate matter)	
Notations and remarks	TLV® Basis: Pneumoconiosis	
Regulatory reference	ACGIH 2022	
Canada (Nunavut) - Occupational Exposure Limits		
Local name	Graphite, natural-all forms except graphite fibres	
OEL TWA	2 mg/m <sup>3</sup> (natural, all forms, except Graphite fibres-respirable fraction)	
OEL STEL	4 mg/m <sup>3</sup> (natural, all forms, except Graphite fibres-respirable fraction)	
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)	

### Safety Data Sheet

Graphite (7782-42-5)		
Canada (Northwest Territories) - Occupational Expo	osure Limits	
OEL TWA	2 mg/m <sup>3</sup> (natural, all forms, except Graphite fibres-respirable fraction)	
OEL STEL	4 mg/m <sup>3</sup> (natural, all forms, except Graphite fibres-respirable fraction)	
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)	
Canada (Ontario) - Occupational Exposure Limits		
OEL TWA	2 mg/m <sup>3</sup> (except Graphite fibres-respirable particulate matter)	
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833	
Canada (Prince Edward Island) - Occupational Expo	osure Limits	
Local name	Graphite (all forms excepte graphite fibers)	
OEL TWA	2 mg/m <sup>3</sup> (all forms except Graphite fibers-respirable particulate matter)	
Notations and remarks	TLV® Basis: Pneumoconiosis	
Regulatory reference	ACGIH 2022	
Canada (Saskatchewan) - Occupational Exposure L	imits	
Local name	Graphite, natural-all forms except graphite fibres	
OEL TWA	2 mg/m <sup>3</sup> (natural, except Graphite fibres-respirable fraction)	
OEL STEL	4 mg/m <sup>3</sup> (natural, except Graphite fibres-respirable fraction)	
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10	
Canada (Yukon) - Occupational Exposure Limits		
OEL TWA	20 mppcf 30 mppcf (synthetic) 10 mg/m <sup>3</sup> (synthetic)	
Copper Foil (7440-50-8)		
Canada (Alberta) - Occupational Exposure Limits		
Local name	Copper	
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
Regulatory reference	Alberta Regulation 191/2021	
Canada (Quebec) - Occupational Exposure Limits		
VEMP (OEL TWA)	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
Canada (British Columbia) - Occupational Exposure Limits		
Local name	Copper, as Cu	
OEL TWA	1 mg/m <sup>3</sup> (dust and mist) 0.2 mg/m <sup>3</sup> (fume)	
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)	
Canada (Manitoba) - Occupational Exposure Limits		
Local name	Copper, as Cu	
OEL TWA	0.2 mg/m³ (fume)	
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever	

# Safety Data Sheet

Copper Foil (7440-50-8)		
Regulatory reference	ACGIH 2022	
Canada (New Brunswick) - Occupational Exposure	Limits	
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
Notations and remarks	Irr; GI; metal fume fever	
Canada (Newfoundland and Labrador) - Occupation	nal Exposure Limits	
Local name	Copper, as Cu	
OEL TWA	0.2 mg/m³ (fume)	
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever	
Regulatory reference	ACGIH 2022	
Canada (Nova Scotia) - Occupational Exposure Lim	its	
Local name	Copper, as Cu	
OEL TWA	0.2 mg/m³ (fume)	
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever	
Regulatory reference	ACGIH 2022	
Canada (Nunavut) - Occupational Exposure Limits		
Local name	Copper, (as Cu)	
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
OEL STEL	3 mg/m³ (dust and mist) 0.6 mg/m³ (fume)	
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)	
Canada (Northwest Territories) - Occupational Exposure Limits		
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
OEL STEL	3 mg/m³ (dust and mist) 0.6 mg/m³ (fume)	
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)	
Canada (Ontario) - Occupational Exposure Limits		
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833	
Canada (Prince Edward Island) - Occupational Exposure Limits		
Local name	Copper, as Cu	
OEL TWA	0.2 mg/m³ (fume)	
Notations and remarks	TLV® Basis: Irr; GI; metal fume fever	
Regulatory reference	ACGIH 2022	
Canada (Saskatchewan) - Occupational Exposure Limits		
Local name	Copper, (as Cu)	

### Safety Data Sheet

Copper Foil (7440-50-8)		
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
OEL STEL	0.6 mg/m³ (fume) 3 mg/m³ (dust and mist)	
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10	
Canada (Yukon) - Occupational Exposure Limits		
OEL TWA	0.2 mg/m³ (fume) 1 mg/m³ (dust and mist)	
OEL STEL	0.2 mg/m³ (fume) 2 mg/m³ (dust and mist)	
Aluminum (7429-90-5)		
Canada (Quebec) - Occupational Exposure Limits		
VEMP (OEL TWA)	10 mg/m <sup>3</sup>	
Canada (New Brunswick) - Occupational Exposure	Limits	
OEL TWA	10 mg/m³ (metal dust)	
Notations and remarks	Pneumoconiosis; LRT irr	
Canada (Nunavut) - Occupational Exposure Limits		
OEL STEL	20 mg/m³ (metal-dust)	
Canada (Northwest Territories) - Occupational Expo	osure Limits	
OEL STEL	20 mg/m³ (metal-dust)	
Canada (Ontario) - Occupational Exposure Limits		
OEL TWA	1 mg/m <sup>3</sup> (respirable particulate matter)	
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833	
8.2. Appropriate engineering controls		
Appropriate engineering controls :	Ensure good ventilation of the work station.	
Environmental exposure controls :	Avoid release to the environment.	
8.3. Individual protection measures/Personal protective equipment		
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respiratory equipment		

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : Solid Appearance No data available : Colour No data available : Odour · No data available Odour threshold ÷ No data available pН No data available : Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point No data available · Auto-ignition temperature No data available : Decomposition temperature No data available : Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available : No data available Relative density Solubility : No data available Partition coefficient n-octanol/water (Log Pow) No data available : Viscosity, kinematic No data available •

÷

No data available

#### 9.2. Other information

Explosive limits

No additional information available

SECTION 10: Stability and reactive	vity
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitization	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

8/14

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

STOT-repeated exposure	:	Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	:	Not classified (Based on available data, the classification criteria are not met)

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Based on available data, the classification criteria are not met
Hazardous to the aquatic environment, long-term (chronic)	: Based on available data, the classification criteria are not met
2.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Ozone	: Not classified

SECTION 13: Disposal considerations		
13.1. Disposal methods		

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information	
In accordance with TDG / DOT / IMDG / IATA	

TDG	DOT	IMDG	ΙΑΤΑ
14.1. UN number			
UN3481	3481	3481	3481
14.2. Proper Shipping Name			
LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	Lithium ion batteries contained in equipment	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT	Lithium ion batteries contained in equipment
14.3. Transport hazard class(es)			
9	9	9	9A

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG	DOT	IMDG	ΙΑΤΑ
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	· · · · · · · · · · · · · · · · · · ·		
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

14.6. Special precautions for user

**TDG** UN-No. (TDG)

: UN3481

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG Special Provisions :	34 - (1) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of lithium cells and batteries on a road vehicle, a railway vehicle or a
	vessel on a domestic voyage if (a) for a lithium metal or lithium alloy cell, the lithium content is not more than 1 g. and, for a
	lithium-ion cell, the watt-hour rating is not more than 20 Wh;
	(b) for a lithium metal or lithium alloy battery, the aggregate lithium content is not more than 2 g, and for a lithium-ion battery, the watt-hour rating is not more than 100 Wh;
	(c) lithium ion batteries are marked with the watt-hour rating on the outside case, except for those manufactured before January 1, 2009;
	(d) each cell and battery type passes each of the tests set out in paragraph 2.43.1(2)(a) of Part 2 (Classification);
	(e) the cells and batteries are afforded protection against short circuit, including protection against contact with conductive materials within the same packaging that could lead to a short circuit.
	<ul> <li>(f) the cells and batteries are packed in a means of containment that completely encloses the cells and batteries;</li> </ul>
	(g) the gross mass of the cells and batteries does not exceed 30 kg, except when the cells and batteries are installed in or packed with equipment; and
	(h) the cells and batteries are packed in a means of containment capable of withstanding a 1.2 m drop test in any orientation without damage to the cells or batteries contained inside the means of containment, without the contents shifting so as to allow battery-to-battery or cell-tocell,
	<ul> <li>(2) Cells and batteries referred to in subsection (1) that are installed in equipment must, unless</li> <li>they are afforded equivalent protection by the equipment in which they are contained</li> </ul>
	<ul> <li>(a) be afforded protection against damage and short circuit, including protection against contact with conductive materials within the same packaging that could lead to a short circuit;</li> </ul>
	(b) subject to subsection (3), be fitted to prevent accidental activation; and
	(c) be packed in a means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no
	release of the dangerous goods that could endanger public safety.
	(3) Paragraph (2)(b) does not apply to cells and batteries installed in devices that are
	and sensors, and that are not capable of generating a dangerous evolution of heat. (4) Except for means of containment containing button cell batteries installed in equipment,
	including circuit boards, or no more than four cells installed in equipment or no more than two
	batteries installed in equipment, each means of containment must be marked with the appropriate lithium battery mark in accordance with section 4.24.
	(5) Despite subsection (4), except for means of containment containing button cell batteries
	or no more than two batteries installed in equipment, each means of containment may, until December 31, 2018, be marked with the following:
	(a) "lithium metal", "lithium métal", "lithium ion" or "lithium ionique", as appropriate;
	(b) an indication that the means of containment must be handled with care and that a
	flammability hazard exists if the means of containment is damaged;
	(c) an indication that special procedures must be followed in the event the means of containment is damaged, including inspection and repacking, if necessary, and
	(d) a telephone number to call for additional information, 123 - (1) The testing requirements in
	subsection 38.3 of Part III of the Manual of Tests and Criteria do not apply to production runs
	consisting of not more than 100 cells and batteries or to pre-production prototypes of cells and batteries that are transported on a road vehicle, a railway vehicle or a vessel on a domestic
	(a) the cells or batteries are imported, offered for transport, handled or transported in accordance
	(b) the pre-production prototypes of cells and batteries are in transport for the purpose of testing.
	(2) Despite paragraph (1)(b), batteries that have a total mass of 12 kg or more and that have a strong, impact-resistant outer casing, or assemblies of them, may be packed in an outer means
	of containment or protective enclosure designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no
	release of the dangerous goods that could endanger public safety. The batteries or battery 11/14
	assemblies must be protected from short-circuit,137 - (1) This shipping name applies to lithium ion cells or batteries, and lithium metal cells or batteries, that are damaged or defective and do

not conform to subsection 2.43.1(2) of Part 2 (Classification).

# Safety Data Sheet

Explosive Limit and Limited Quantity Index	: 0
Excepted quantities (TDG)	: E0
Passenger Carrying Road Vehicle or Passenger	: 5 kg
Carrying Railway Vehicle Index	
Emergency Response Guide (ERG) Number	: 147
DOT	
	: UN3481
DOT Special Provisions (49 CFR 172.102)	: 181 - When a package contains a combination of lithium batteries contained in equipment and
DOT Special Provisions (49 CFR 172.102)	181 - When a package contains a combination or limitum batteries contained in equipment and lithium batteries packed with equipment, the following requirements apply: a. The shipper must ensure that all applicable requirements of §173.185 of this subchapter are met. The total mass of lithium batteries contained in any package must not exceed the quantity limits in columns (9A) and (9B) for passenger aircraft or cargo aircraft, as applicable; b. Except as provided in §173.185(c)(3) of this subchapter, the package must be marked "UN 3091 Lithium metal batteries packed with equipment", or "UN 3481 Lithium ion batteries packed with equipment," as appropriate. If a package contains both lithium metal batteries and lithium ion batteries packed with equipment, the package must be marked as required for both battery types. However, button cell batteries installed in equipment (including circuit boards) need not be considered; and c. The shipping paper must indicate "UN 3091 Lithium metal batteries packed with equipment" or "UN 3481 Lithium ion batteries packed with equipment," as appropriate. If a package contains both lithium metal batteries packed with equipment, and contained in equipment, and "UN 3481 Lithium ion batteries packed with and contained in equipment," and "UN 3481 Lithium ion batteries packed with and contained in equipment," and "UN 3481 Lithium ion batteries packed with and contained in equipment," and "UN 3481 Lithium ion batteries packed with and contained in equipment, and "UN 3481 Lithium ion batteries packed with and contained in equipment," and "UN 3481 Lithium ion batteries packed with equipment." 388 - a. Lithium batteries containing both primary lithium metal cells, ii. Overcharge of the rechargeable lithium ion cells is precluded by design; iii. The battery has been tested as a primary lithium battery; and iv. Component cells of the battery must be of a type proved to meet the respective testing requirements of the Manual of Tests and Criteria, part III, subsection 38.3 (IBR, see 171.7 of
	on cargo aircraft if approved by the Associate Administrator.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 185
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 185
DOT Packaging Bulk (49 CFR 173.xxx)	: 185
DOT Quantity Limitations Passenger aircraft/rail (49 CER 173 27)	: 5 kg
DOT Quantity Limitations Cargo aircraft only (49	: 35 kg
CFR 175.75)	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
IMDG	
Special provisions (IMDG)	: 188, 230, 310, 348, 360, 376, 377, 384, 387
LIMITED QUANTITIES (IMDG)	: U : E0
Packing instructions (IMDG)	· EV · P903 P908 P909 P910 P911   P903   P904   P905   P906
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-I - SPILLAGE SCHEDULE India - FLAMMABLE SOLIDS (REPACKING POSSIBLE)

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)			
Stowage category (IMDG) Properties and observations (IMDG)	<ul> <li>A</li> <li>Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.</li> </ul>		
IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	<ul> <li>E0</li> <li>Forbidden</li> <li>Forbidden</li> <li>967</li> <li>5kg</li> <li>967</li> <li>35kg</li> <li>A48, A88, A99, A154, A164, A181, A185, A206, A213, A220</li> <li>12FZ</li> </ul>		
14.7. Transport in bulk according to Anno	ex II of MARPOL 73/78 and the IBC Code		
SECTION 15: Regulatory information			
15.1. National regulations			
Graphite (7782-42-5)			
Listed on the Canadian DSL (Domestic Substances List)			
1.3-Dioxolan-2-one (96-49-1)			
Listed on the Canadian DSL (Domestic Substances List)			
Copper Foil (7440-50-8)			
Listed on the Canadian DSL (Domestic Substances List)			
Phosphate(1-), hexafluoro-, lithium (21324	4-40-3)		
Listed on the Canadian NDSL (Non-Domestic Substances List)			
Aluminum (7429-90-5)			

Listed on the Canadian DSL (Domestic Substances List)

1,1-Difluoroethylene polymer (24937-79-9)

Listed on the Canadian DSL (Domestic Substances List)

Styrene-butadiene copolymer (9003-55-8)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: Other information		
Issue Date	: 2022.03.15	
Revision Date	: 2022.03.30	

### Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.