

Element Materials Technology 662 Cromwell Avenue St Paul, MN 55114-1720 USA P 651 645 3601 F 651 659 7348 T 888 786 7555 info.stpaul@element.com element.com

SUMMARY OF DYNAMIC DROP TESTING OF TOOL POUCHES AND TOOL HOLSTERS

ErgodyneDate:January 25, 2017Attn: Mr. Brent VelenchenkoSummary DateFebruary 16, 20171021 Bandana Blvd EastAuthor:John PeterfesoSuite 220Report Number:ESP023875P.2-S

Saint Paul, MN 55108 Client Purchase Order Number: 14-17-16

Respectfully submitted,

John Peterfeso

Product Evaluation Engineer Product Evaluation Department

Phone: (651) 659-7311

Reviewed By,

Matthew Rootes

Associate Test Engineer

Product Evaluation Department

Phone: (651) 659-7429

It is our policy to retain components and sample remnants for a minimum of 30 days from the report date, after which time they may be discarded. The data herein represents only the item(s) tested. This report shall not be reproduced, except in full, without prior permission of Element Materials Technology.

EAR Controlled Data: This document contains technical data whose export and re-export/retransfer is subject to control by the U.S. Department of Commerce under the Export Administration Act and the Export Administration Regulations. The Department of Commerce's prior written approval is required for the export or re-export/retransfer of such technical data to any foreign person, foreign entity or foreign organization whether in the United States or abroad.

This project shall be governed exclusively by the General Terms and Conditions of Sale and Performance of Testing Services by Element Materials Technology. In no event shall Element Materials Technology be liable for any consequential, special or indirect loss or any damages above the cost of the work.



INTRODUCTION

This report presents the results of dynamic drop testing conducted on samples of tool holsters and pouches. The testing was authorized by Mr. Brent Velenchenko of Ergodyne on September 14, 2016.. The testing and data analysis were completed December 27, 2016.

OBJECTIVE

The scope of our work was limited to performing the dynamic drop testing on the tool holsters and pouches as described below and providing a report of the results.

CONCLUSIONS

See Test Results section for individual sample data.

SAMPLE IDENTIFICATION

Submitted on September 12 2016

Four (4) holsters were submitted. The following is a list of the supplied information about each bag.

- One (1) Model #5561 Small Tool/Radio Holster; labeled 5561
- One (1) Model #5562 Hammer Holster; labeled 5562
- One (1) Model #5563 Power Tool Holster; labeled 5563
- One (1) Model #5564 Water Bottle Holster; labeled 5564
- Two (2) Topped Tool Pouches were submitted for testing.
 - One (1) Model #5517 Premium Topped Tool Pouch; labeled 5517
 - One (1) Model #5527 Premium Topped Tool Pouch; labeled 5527

Submitted on October 25, 2016

Four (4) holsters were submitted. The following is a list of the supplied information about each bag.

- One (1) Model #5561 Small Tool/Radio Holster; labeled 5561 RD
- One (1) Model #5562 Hammer Holster; labeled 5562 RD
- One (1) Model #5563 Power Tool Holster; labeled 5563 RD
- One (1) Model #5564 Water Bottle Holster; labeled 5564 RD
- Two (2) Topped Tool Pouches were submitted for testing.
 - One (1) Model #5517 Premium Topped Tool Pouch; labeled 5517 RD
 - One (1) Model #5527 Premium Topped Tool Pouch; labeled 5527 RD

Submitted on November 29, 2016

Four (4) holsters were submitted. The following is a list of the supplied information about each bag.

- One (1) Model #5561 Small Tool/Radio Holster; labeled 5561 RD2
- One (1) Model #5562 Hammer Holster; labeled 5562 RD2



One (1) Model #5563 – Power Tool Holster; labeled 5563 RD2

Two (2) Topped Tool Pouches were submitted for testing.

One (1) Model #5517 - Premium Topped Tool Pouch; labeled 5517 RD2

One (1) Model #5527 - Premium Topped Tool Pouch; labeled 5527 RD2

Submitted on December 22, 2016

Two (2) holsters were submitted. The following is a list of the supplied information about each bag.

Two (2) Model #5563 – Power Tool Holster; labeled 5563 RD2

Two (2) Topped Tool Pouches were submitted for testing.

One (1) Model #5527 - Premium Topped Tool Pouch; labeled 5527 RD3

* Note: Not all submitted bag were used in dynamic testing refer to test data for actual tested bags

TEST METHOD

Drop testing on was conducted using the following methods. The Holster/Pouch was suspended from a ceiling anchor by the strap with buckle as it was intended to be worn. A non-shock lanyard was utilized; the anchor end of the lanyard was connected to the Holster/Pouch attached D-ring. The tool end of the lanyard was connected to the specified weight and suspended from a quick release hook anchored into the ceiling allowing for a 6 foot free fall. The weight was then dropped using a quick release hook and allowed to free fall. This was repeated two (2) times for a total of three (3) drops, or until failure. Following each drop, the lanyard and hoist bucket was inspected for visible damage.



TEST RESULTS

The following is a list of specimens and corresponding drop loads and any failure modes. To get a passing result requires 3 drops that do not result in catastrophic failure in which the weight is not released to the ground.

Bag/Pouch Model	Rev	Date Submitted	Side	Drop 1/ Weight	Drop 2/ Weight	Drop 3/ Weight	Pass/Fail	Damage
#5562	NA	9/12/2016	1	pass/10 lb	pass/10 lb	Pass/10 lb	Pass	Ripping at seam
#5561	RD	10/25/2016	2	Pass/6 lb	Pass/3 lb	Pass/3 lb	Pass	Minor fraying
#5561	RD2	11/29/2016	1	Pass/10 lb	Pass/5 lb	Pass/5 lb	Pass	Damage to stitching
#5562	RD2	11/29/2016	1	Pass/10lb	Pass/5 lb	Pass/5 lb	Pass	Damage to stitching
#5517	RD2	11/29/2016	1	Pass/10 lb	Pass/5 lb	Pass/5 lb	Pass	No noticeable
#5527	RD2	11/29/2016	1	Pass/10 lb	Pass/5 lb	Pass/5 lb	Pass	Not noticeable
#5563	RD2	12/22/2016	1	Pass/10 lb	Pass/5 lb	Pass/5 lb	Pass	Damage to stitching

Dynamic Test Results

Note: Product samples listed in this summary report represent passing samples <u>only</u>. One or more failing and/or invalid/incomplete results <u>may</u> have been removed from the summary as requested by Ergodyne to specifically summarize approved products according to Ergodyne standards. Please refer to the full test report ESP023875P.2 for details on all samples.